

(1)

22 #

2005 2 - 30 :

2005 11 :

/ 1200 :

75 :

%3 :

:			
%	%	%	
/			<b>.1</b>
46.4	15.6	27.3	(1)
20.0	14.2	16.4	(2)
33.5	68.6	55.2	(3)
0.1	1.6	1.0	(4)
/ /			<b>.2</b>
56.7	36.9	44.5	(1)
21.0	22.0	21.6	(2)
21.7	39.1	32.5	(3)
0.6	2.0	1.5	(4)
			<b>.3</b>
78.9	75.4	76.7	(1)
11.3	12.2	11.9	(2)
9.9	12.4	11.5	(3)
:			<b>.4</b>
65.4	37.3	48.0	(1)
13.9	25.7	21.2	(2)
17.1	31.4	25.9	(3)
3.6	5.6	4.8	(4)
54.6	37.6	44.0	(1)
14.5	17.1	16.1	(2)
27.8	36.4	33.1	(3)
3.2	9.0	3.8	(4)
53.9	32.3	40.6	(1)
17.2	22.4	20.4	(2)
28.0	41.0	36.0	(3)
0.9	4.3	3.0	(4)

%	%	%	
40.6	30.7	34.5	(1)
23.0	20.2	21.3	(2)
33.1	42.4	38.8	(3)
3.3	6.7	5.4	(4)
42.5	25.6	32.1	(1)
26.1	20.6	22.7	(2)
28.3	49.5	41.4	(3)
3.1	4.3	3.8	(4)
41.8	23.9	30.7	(1)
15.6	19.1	17.7	(2)
40.4	50.8	46.8	(3)
2.3	6.3	4.8	(4)
34.5	18.1	24.3	(1)
23.8	17.7	20.1	(2)
38.8	59.9	51.9	(3)
2.9	4.3	3.8	(4)
20.4	20.9	20.7	(1)
12.6	13.6	13.2	(2)
63.8	64.4	64.1	(3)
3.3	1.2	2.0	(4)

%	%	%	
			<b>.5</b>
25.1	27.4	26.5	(1)
28.0	20.6	23.4	(2)
27.3	19.6	22.5	(3)
10.8	17.0	14.6	(4)
2.2	9.2	6.5	(5)
2.5	3.6	3.2	(6)
2.6	1.6	2.0	(7)
1.6	1.1	1.3	(8)
/ /			<b>.6</b>
82.9	69.0	74.3	(1)
16.2	26.6	22.6	(2)
1.0	4.4	3.1	(3)
) (2005/9/13)			<b>.7</b>
			(
91.2	76.2	81.9	(1)
7.7	20.4	15.6	(2)
1.1	3.4	2.5	(3)
.....			<b>.8</b>
57.9	46.3	50.7	(1)
36.3	42.7	40.3	(2)
5.8	11.0	9.0	(3)
)			<b>.9</b>
			(....
45.4	28.9	35.2	(1)
50.0	66.2	60.0	(2)
4.5	4.9	4.8	(3)
			<b>.10</b>
17.1	31.7	26.1	(1)
81.9	65.1	71.5	(2)
1.0	3.2	2.4	(3)
			<b>.11</b>
4.4	7.4	6.2	(1)
95.2	91.0	92.6	(2)
0.5	1.6	1.2	(3)

:			
%	%	%	
			<b>.12</b>
			.....
48.9	48.0	48.3	(1)
50.5	40.7	44.5	(2)
51.1	39.1	43.7	(3)
53.5	36.6	43.1	(4)
43.7	37.8	40.1	(5)
44.4	36.0	39.3	(6)
37.2	30.1	32.8	(7)
36.3	30.0	32.5	(8)
40.9	26.3	31.9	(9)
( )			<b>.13</b>
48.1	37.0	41.2	(1)
40.4	42.7	41.8	(2)
11.5	20.4	17.0	(3)
" "			<b>.14</b>
24.1	24.9	24.6	(1)
40.8	38.0	39.1	(2)
35.1	37.0	36.3	(3)
" "			<b>.15</b>
23.9	20.2	21.6	(1)
38.8	40.4	39.8	(2)
32.1	32.1	32.1	(3)
5.2	7.3	6.5	(4)
:			
<b>(2006 25)</b>			:
			<b>.16</b>
75.8	60.9	66.6	(1)
19.3	32.7	27.6	(2)
4.9	6.4	5.8	(3)

%	%	%	
			<b>.17</b>
43.3	47.4	45.6	( ) (1)
25.5	21.4	23.1	( ) (2)
1.5	2.9	2.3	(3)
0.9	2.1	1.6	(4)
1.4	1.4	1.4	(5)
1.2	1.1	1.1	(6)
0.0	0.6	0.3	(7)
0.1	0.4	0.3	(8)
0.0	0.5	0.3	- (9)
0.1	0.0	0.0	(10)
0.0	0.0	0.0	( ) (11)
25.7	22.3	23.7	(12)
0.3	0.0	0.1	(13)
			<b>.18</b>
( - )			
42.4	41.8	42.0	(1)
16.5	18.7	17.7	(2)
9.8	11.4	10.7	(3)
13.8	5.3	9.0	(4)
6.6	9.1	8.0	(5)
3.9	6.0	5.1	(6)
5.5	2.4	3.8	(7)
1.0	2.9	2.1	(8)
0.1	1.5	0.9	(9)
0.4	0.8	0.6	( ) (10)
			<b>.19</b>
41.5	49.9	46.3	(1)
24.9	21.9	23.1	(2)
5.9	7.5	6.8	(3)
1.4	3.4	2.5	(4)
0.8	1.9	1.4	(5)
17.5	13.3	15.1	(6)
8.0	2.1	4.6	(7)

%	%	%	
			<b>.20</b>
31.4	39.7	36.1	(1)
27.1	25.9	26.4	(2)
4.0	5.8	5.0	(3)
2.3	3.4	3.0	(4)
0.9	2.1	1.6	(5)
22.1	18.1	19.8	(6)
12.2	5.0	8.1	(7)
			<b>.21</b>
31.6	35.7	34.0	(1)
27.8	23.0	25.0	(2)
7.1	8.9	8.2	(3)
1.7	6.0	4.1	(4)
20.1	20.9	20.6	(5)
11.7	5.5	8.1	(6)
			<b>.22</b>
44.0	48.9	46.8	(1)
26.3	23.5	24.7	(2)
3.9	8.8	6.7	(3)
20.1	15.6	17.5	(4)
5.7	3.1	4.2	(5)

%	%	%	
			<b>.23</b>
54.0	51.7	52.7	(1)
15.1	16.9	16.1	(2)
13.4	13.2	13.3	(3)
12.0	10.6	11.2	(4)
3.3	3.9	3.6	(5)
0.6	2.0	1.3	(6) ( )
1.4	1.0	1.2	(7)
0.4	0.6	0.5	(8)
			<b>.24</b>
46.0	62.0	54.9	(1)
29.0	3.5	14.7	(2)
12.6	14.5	13.7	(3)
5.5	7.1	6.4	(4)
3.9	6.9	5.5	(5)
2.1	4.1	3.2	(6)
0.1	1.4	0.9	(7)
0.8	0.5	0.6	(8)
			<b>.25</b>
34.0	45.2	40.1	(1)
42.9	32.6	32.3	(2)
8.7	11.5	10.2	(3)
0.3	12.9	7.2	(4)
10.2	1.0	5.2	(5)
1.4	3.9	2.8	(6)
2.2	0.9	1.5	(7)
0.3	1.0	0.7	(8)
			<b>.26</b>
51.7	43.9	47.2	(1)
11.9	11.8	11.8	(2)
36.4	44.3	40.9	(3)



%	%	%	
: /			<b>.27</b>
41.3	39.7	40.3	(1)
26.0	21.5	23.2	(2)
7.2	3.8	5.1	(3)
2.4	3.4	3.0	(4)
3.5	3.7	3.6	(5)
1.9	2.0	1.9	(6)
1.2	0.8	0.9	(7)
0.0	1.3	0.8	(8)
0.1	0.9	0.6	(9)
0.3	0.7	0.5	(10)
0.2	0.6	0.4	(11)
0.3	0.0	0.1	(12)
0.0	0.1	0.1	(13)
15.4	21.7	19.3	(14)
			<b>.28</b>
24.4	16.3	19.4	(1)
75.6	82.6	79.9	(2)
0.0	1.1	0.7	(3)

( 2 )

40.7		43.2		62.0	
59.3		39.5	/	38.0	
		17.3			
20.2	-			6.5	
21.3		51.4		1.6	
31.2		48.6		3.2	
16.7				10.2	
4.9		23.7	/	2.1	
5.7		70.9	/	1.2	
	<b>1994</b>	5.4		1.3	
				7.4	
92.6		19.4	22-18	8.6	
		16.5	27-23	3.5	
7.4		13.8	32-28	16.6	
	*	11.8	37-33	8.4	-
4.2		9.7	42-38	13.6	-
28.5	700	6.9	47-43	4.3	
19.3	1000-701	5.3	52-48	8.0	
18.4	1700-1001	16.6	52	3.8	
15.4	2500 - 1701				
7.0	3000 - 2501	59.0		30.8	
7.2	3000	11.2		69.2	
		5.0			
		23.4			
		1.4			
				<b>4.55 =</b>	<b>1 :</b>
					*