

:27

:

6/6/2006 :

: _____

%	%	%	
:			
			.1
2.6	4.7	3.9	(1)
9.1	14.0	12.2	(2)
36.6	36.2	36.4	(3)
29.5	29.0	29.2	(4)
22.1	16.1	18.3	(5)
			.2
35.5	27.6	30.6	(1)
22.6	24.2	23.6	(2)
41.8	47.8	45.6	(3)
0.0	0.5	0.3	/ (4)

.3			
61.0	39.2	47.3	/ (1)
14.4	23.7	20.2	(2)
24.2	36.4	31.9	/ (3)
0.3	0.7	0.6	(4)
.4			
49.1	36.5	41.2	(1)
17.2	18.6	18.1	(2)
31.2	39.5	36.4	(3)
2.6	5.3	4.3	(4)
.5			
35.3	40.7	38.6	() (1)
27.6	54.8	44.6	(2)
37.2	4.6	16.7	(3)
.6			
69.1	61.1	64.1	(1)
18.0	26.5	23.3	(2)
12.9	12.4	12.6	(3)

%		%	
	%		
.7			

33.1	44.6	40.3	(1)
53.7	45.3	48.4	(2)

13.2	10.1	11.2	(3)
20.5	29.6	26.2	(1)
38.3	37.2	37.6	(2)
41.1	33.2	36.2	(3)
14.7	30.6	24.7	(1)
35.7	37.5	36.9	(2)
42.9	27.8	33.4	(3)
6.7	4.1	5.1	(4)
17.7	25.4	22.5	(1)
26.9	28.7	28.0	(2)
35.6	28.4	31.1	(3)
19.8	17.6	18.4	(4)
1.3	6.2	4.4	(1)
5.0	5.4	5.2	(2)
6.4	11.3	9.5	(3)
87.3	77.1	80.9	(4)
<i>(2006/)</i>			.8

1.7	1.6	1.6	(1)
30.8	36.8	34.5	(2)
66.9	61.2	63.4	(3)
0.6	0.4	0.4	(4)

%		%	
			.9
25.0	7.2	13.9	(1)
34.7	52.0	45.5	(2)
40.3	40.8	40.6	(3)
			:
			.10

30.9	22.5	25.6	(1)
23.6	22.6	23.0	(2)
40.4	44.8	43.1	(3)
5.1	10.1	8.3	(4)

25.7	21.5	23.1	(1)
24.8	23.5	24.0	(2)
46.7	45.8	46.2	(3)
2.8	9.2	6.8	(4)

29.3	15.6	20.7	(1)
18.8	21.5	20.5	(2)
44.0	46.9	45.8	(3)
8.0	15.9	12.9	(4)

16.6	13.7	14.8		(1)
24.7	26.7	25.9		(2)
44.3	38.5	40.7		(3)
14.4	21.1	18.6		(4)

%		%		
	%			
13.4	13.5	13.5		(1)
21.1	26.1	24.2		(2)
52.3	42.7	46.3		(3)
13.2	17.7	16.0		(4)
14.1	11.7	12.6		(1)
22.2	20.2	20.9		(2)
55.7	53.5	54.3		(3)
8.0	14.6	12.1		(4)
15.9	8.1	11.1		(1)
17.2	16.2	16.6		(2)
56.6	58.4	57.7		(3)
10.3	17.3	14.7		(4)
				.11
66.4	58.7	61.6		(1)

30.0	33.4	32.1	(2)
3.6	7.9	6.3	(3)
.12			
49.3	38.3	42.4	(1)
44.0	51.0	48.4	(2)
6.7	10.7	9.2	(3)
() " "			
.13			
57.5	44.2	49.2	(1)
38.5	39.9	39.4	(2)
4.0	15.8	11.4	(3)

%		%	
	%		
.14			
40.8	31.1	34.7	(1)
54.3	55.2	54.9	(2)
4.9	13.7	10.4	(3)
.15			
50.5	43.2	45.9	(1)
44.9	44.8	44.9	(2)
4.5	11.9	9.2	(3)

95.5	95.8	95.7	(1)
1.8	2.4	2.2	(2)
2.7	1.8	2.2	(3)
95.3	94.5	94.8	(1)
2.3	3.5	3.1	(2)
2.4	1.9	2.1	(3)
78.1	75.3	76.4	(1)
15.3	19.7	18.1	(2)
6.6	5.0	5.6	(3)
52.9	61.9	58.5	(1)
29.5	26.4	27.6	(2)
17.6	11.8	14.0	(3)
36.1	31.9	33.5	(1)
28.5	31.0	30.1	(2)
35.4	37.1	36.5	(3)

%		%	
	%		
33.3	32.5	32.8	(1)
16.4	21.8	19.8	(2)

50.3	45.7	47.4		(3)
				.17
17.4	19.7	18.8	" "	(1)
27.8	24.9	26.0		(2)
50.9	47.9	49.0		(3)
3.9	7.6	6.2		(4)
				.18
24.7	18.8	21.0		(1)
62.4	64.4	63.7		(2)
9.7	12.8	11.6		(3)
3.2	4.0	3.7		(4)
-----				.19
64.8	58.4	60.8		(1)
29.1	32.1	31.0		(2)
6.1	9.4	8.2		(3)
-----				.20
34.0	21.5	26.2		(1)
30.4	32.2	31.5		(2)
31.8	35.2	33.9		(3)
3.8	11.0	8.4		(4)
				.21
38.8	26.8	31.2		(1)
26.4	31.7	29.7		(2)
33.9	36.8	35.7		(3)

1.0	4.7	3.3	(4)
-----	-----	-----	-----

%	%	%	
			.22
37.0	27.3	30.9	(1)
54.7	54.1	54.3	(2)
8.3	18.6	14.7	(3)
			.23
68.4	50.6	57.2	(1)
13.9	24.3	20.4	(2)
14.2	16.6	15.7	(3)
3.5	8.5	6.7	(4)
			.24
49.6	46.3	47.5	(1)
24.9	27.2	26.4	(2)
23.1	22.4	22.7	(3)
2.4	4.0	3.4	(4)
			.25
28.4	28.2	28.3	(1)
69.7	66.8	67.9	(2)
1.9	5.0	3.8	(3)
			.26
61.8	55.7	58.0	(1)
30.7	32.2	31.6	(2)

7.5	12.1	10.4	(3)
			.27
20.4	12.0	15.2	(1)
23.3	28.3	26.4	(2)
50.8	51.3	51.1	(3)
5.5	8.4	7.3	(4)

%		%	
()			.28
46.8	39.9	42.5	(1)
47.7	50.0	49.1	(2)
5.5	10.1	8.4	(3)
()			.29
53.4	47.4	49.7	(1)
40.3	41.7	41.2	(2)
6.2	10.8	9.1	(3)
:			
			.30
28.5	36.0	33.2	(1)
65.2	54.8	58.7	(2)
6.3	9.2	8.1	(3)
			.31
40.3	28.4	32.9	(1)
32.1	30.4	31.1	(2)
25.2	34.5	31.0	(3)
2.4	6.7	5.1	(4)

				.32
48.9	41.6	44.3		(1)
23.8	25.6	25.0		(2)
25.2	27.1	26.4		(3)
2.2	5.6	4.3		(4)

%	%	%	
" "			
.			
_____ :			
.33			
76.4	71.8	73.5	(1)
20.6	23.7	22.5	(2)
3.0	4.5	3.9	(3)
.34			
83.1	82.2	82.5	(1)
15.3	14.8	15.0	(2)
1.6	3.0	2.5	(3)
1967			
.35			
84.7	83.9	84.2	(1)
13.9	13.4	13.6	(2)
1.3	2.7	2.2	(3)
.36			
91.7	90.0	90.7	(1)
6.8	7.3	7.1	(2)
1.4	2.7	2.2	(3)
1967			
.37			
87.0	81.2	83.4	(1)
11.0	13.6	12.6	(2)

2.0	5.2	4.0	(3)
			.38
92.1	88.1	89.6	(1)
5.4	7.7	6.8	(2)
2.5	4.3	3.6	(3)

%		%	
	%		
			.39
94.9	93.4	94.0	(1)
3.3	3.8	3.6	(2)
1.7	2.8	2.4	(3)
			.40
91.5	91.4	91.4	(1)
6.1	5.3	5.6	(2)
2.4	3.2	2.9	(3)
			.41
95.4	93.3	94.1	(1)
3.5	3.9	3.8	(2)
1.1	2.7	2.1	(3)
<i>(2006/5/25)</i>			.42
			" "
82.1	80.4	81.1	(1)
13.5	12.7	13.0	(2)

4.4	6.8	5.9	(3)
" "			.43
75.3	77.7	76.8	(1)
21.2	16.8	18.5	(2)
3.6	5.5	4.8	(3)
			.44
78.6	76.1	77.0	(1)
14.1	12.9	13.3	(2)
7.4	11.0	9.7	(3)

%	%	%	
			.45
41.4	34.3	36.9	(1)
38.2	35.6	36.6	(2)
2.1	1.9	2.0	(3)
0.7	1.6	1.2	() (4)
0.9	0.6	0.7	(5)
0.0	0.6	0.4	(6)
0.4	0.3	0.3) (7)
			((
0.4	0.1	0.2	() (8)
0.0	0.3	0.2	(9)
0.2	0.1	0.1	(10)
0.0	0.0	0.0	(11)

16.1	24.7	21.5	/	(12)
				.46
36.0	35.5	35.7		(1)
32.9	32.5	32.7		(2)
5.2	3.4	4.1		(3)
3.7	2.3	2.8		(4)
2.7	2.0	2.3		(5)
2.3	0.3	1.0		(6)
0.9	0.3	0.5		(7)
0.0	0.7	0.4		(8)
0.5	0.3	0.3		(9)
0.0	0.4	0.2		(10)
0.4	0.1	0.2		(11)
0.2	0.0	0.1		(12)
0.1	0.1	0.1		(13)
0.1	0.1	0.1		(14)
0.0	0.0	0.0		(15)
15.2	22.0	19.5		(16)

. () : **.1**

%77 .

. %19

%13 %77 .

.%10

%81 .

.%13

%32

%58

.

: .4

()

%43

.

%49

%.41

%50

.

: .5

2006 - 5 - 27

5 - ()

%48

.

.(%23)

(%26)

- ()

%57

.

.(%16)

(%20)

%30

()

%31

.

- %36

%54

.

%31

%21

.

%.12

%64

%62

.

%32

%48

%42

.

: .6

%.32 ()

()

%26

.

%.34

%61 1967 .
. %31

%49 %26 %19 .

: .7

%95 .

%76 .

%59 .

%33 .

%30 %20

%37 %47

: .8

() %26 :

%43 %23 ()
.()

() %23 :

%46 %24 ()
.()

() %21 :

%46 %21 ()
.()

() %15 : .
%41 %26 ()
. ()

() %14 : .
%46 %24 ()
. ()

%54 %21 () ()
%13 : .
. ()

() %11 : .
%58 %17 ()
. ()

.. : **.9**

%49 .
%39

%46 .
%45

%55 .
.%35

. : **.10**

%41 .

%46 . %14

) %24 %31 .

%46 (

) %63 .

%35 %2 (

.%36 () () %16 .
 .() %48
 %23 %64 .
 %13 ()
 %31 %36 .
 %33
 %10 %11 .
 %45 %17 .
 %39
 %20 %47 .
 %32

25.3	-	44.5		62.7	
70.3	/	39.8	/	37.3	
4.4		15.7			
	1994			50.1	
92.5		50.7		49.1	
7.5		46.6			
		2.6		6.6	
20.4	-			1.9	
21.3		38.7		3.2	
31.2		61.3		9.5	
16.6				3.1	
5.0		19.3	22-18	0.8	
5.6		16.3	27-23	1.1	
	*	13.6	32-28	10	
3.7		11.9	37-33	10	

31.2	700	9.6	42-38	3.7	
19.4	1000-700	6.8	47-43	12.7	
18.0	1700-1001	5.3	52-48	7.5	-
16.8	2500 - 1701	17.2	52	14.3	-
5.9	3000 - 2501			4.6	
5.1	3000	27.0		7.7	
		73.0		3.2	
4.5 = 1 :					
*					